All New

GORDION







#Pullit

MAXIMUM PERFORMANCE, MAXIMUM VALUE







INERTIA PLUS

Patented Inertia Plus™ Bolt System

Always In Battery, Always Ready To Perform

US PATENT 9.995.542 - the Inertia Plus™ bolt is only available from RETAY. Its been called the most significant advancement in the inertia action in 50 years! Inertia Plus™ actively rotates the bolt head into battery and keeps it there; every time, under all conditions.

No More Click. No More Missed Opportunities.





COMFORT PAD

The recoil pad is made of special foam material to absorb the pressure and help to handle comfortably.





A special trigger group design and shaped loading port offers easy loading and unloading















































GORDION

12 GA / 20 GA Gauge 2-3/4" to 3" | 76mm Chamber Inertia Plus System Action Barrel Precision Drilled Steel Removable Chokes C-IC-M-IM-F -70mm Choke Rib 8mm Recoil Pad Sculpted Ergonomic Comfort Recoil Pad LOP 14.37" | 365mm Drop at Heel 2.16"±.04" adjustable to 1.77"-1.96"-2.36" 55±1mm adjustable to 45-50-60 1.45"±.04" | 37±1mm Drop at Comb 6lbs 9.8oz | 3000g±100 Weight Stock Finish Oiled, Hydrographic or Dye Molded Molded ABS or Turkish Walnut With Laser Cut Engraving Checkering Lower Receiver Aluminum, Anodized, Hydrographic Walnut or Molded ABS With Adjustable Fit Plate and Shim System Stock Fit Magazine Capacity 4+1 - 3" Shells / 7+1 - 3" Shells / 10+1 - 3" Shells Safety Cross Bolt Push Button Intercepter, Enlarged Safety Trigger Group Aluminum Trigger Guard Automatic Anti-Repeat System, Reversible Trigger Sight Single Bead TruGlo Fiber optic (red) Controls Standard Size



retayarms.com • retayusa.com

MasaiMara reserves the right to make modifications to the products shown in this catalogue at any time without prior notice. The finishings, color and patterns shown in this catalogue are approximate, as a printed reproduction causes inevitable color differences. The illustrations and descriptions contained in this catalogue are only provided as an indication.